

Message

From: Wilson, Jennifer [wilson.jenniferA@epa.gov]
Sent: 9/27/2018 9:58:56 PM
To: Baltazar, Debbie [baltazar.debbie@epa.gov]; Holst, Linda [holst.linda@epa.gov]; Poy, Thomas [poy.thomas@epa.gov]; Shoven, Heather [shoven.heather@epa.gov]
Subject: FW: Signed Gen X Letter
Attachments: Gen X - Andrew Hartten.pdf

Hi Debbie,

I should have included you since Linda is out of the office. Sorry. You should probably send this to Craig Butler, Ohio EPA Director, so he is aware that this went out.

Thank you,
Jenny

From: Wilson, Jennifer
Sent: Thursday, September 27, 2018 4:57 PM
To: Holst, Linda <holst.linda@epa.gov>; Poy, Thomas <poy.thomas@epa.gov>; Shoven, Heather <shoven.heather@epa.gov>; Harris, Kimberly <harris.kimberly@epa.gov>; Clark, Jacqueline <clark.jacqueline@epa.gov>
Subject: FW: Signed Gen X Letter

Hi All,

Attached is the GenX letter that went to Chemours. Linda, I already sent this to the Drinking Water Managers at Ohio EPA as well as Gene Phillips at Ohio Department of Health. However, you may want to send this to the Ohio EPA Director, Craig Butler.

Have a good night,
Jenny

From: Reinhart, Roger
Sent: Thursday, September 27, 2018 7:46 AM
To: rogers, rick <rogers.rick@epa.gov>; Wilson, Jennifer <wilson.jenniferA@epa.gov>
Cc: Rowsey, Kevin <rowsey.kevin@epa.gov>; Konfirst, Matthew <konfirst.matthew@epa.gov>; Bennett, James <bennett.james@epa.gov>; Duchovnay, Andrew <Duchovnay.Andrew@epa.gov>
Subject: FW: Signed Gen X Letter

Hi Jenny,

Attached is the signed letter to Chemours requesting a third (and continuing) quarterly monitoring of GenX in specified water supplies around their Washington Works facility. Could you please pass this along to your contacts in Region 5 and Ohio? Thanks.

Roger